



Guidance for the investigation of *Cryptosporidium* linked to swimming pools

Appendix 3: Sources of Independent Advice Regarding Swimming Pools

Agencies: Public Health Wales, Public Health England, Local Authorities, the Chartered Institute of Environmental Health, the Pool Water Treatment Advisory Group and the Chartered Institute for the Management of Sport and Physical Activity.

Authors: see main guidance document

Approved by: HPA GI programme board	Approval date: 24/01/11
Date of issue: 25/02/2020	Document and Version:
	CRUGUID102 appendix 3 v.4

Publication/ Distribution:

- Public (Internet: Cryptosporidium Reference Unit website)
- Links from Public Health Wales (Intranet), Public Health England (Internet) and websites of partner organisations

Review Date: 25/02/2023

Purpose of Document:

This is Appendix 3 of a document that has been drawn up by a task and finish group to provide guidance to public health professionals on the prevention and investigation of cases of cryptosporidiosis linked to swimming pools in England and Wales.

Summary of document:

This appendix provides contact details for obtaining independent advice regarding swimming pools.

Work Plan reference: Cryptosporidium Reference Unit 2010/11

Public Health Wales Microbiology Division	Guidance for the investigation of
	Cryptosporidium linked to swimming pools

Organisation	Description	Contact details	Areas of expertise
Pool Water	An independent, not-for-profit, membership	Pavilion 3, SportPark,	All aspects of the water
Treatment Advisory	organisation with the sole objective of raising	3 Oakwood Drive,	treatment of swimming
Group (PWTAG)	standards in the quality and treatment of swimming	Loughborough University,	pools, spas and specialist
	pool water. Membership is drawn from a wide range	Leicestershire, LE11 3QF	pools. Hydraulics, filtration,
	of relevant statutory, voluntary and professional		disinfection, chemical and
	organisations with an interest in pool water	Tel: 01509 640 730	microbiological monitoring,
	treatment and pool users.		chemical safety etc.
		customerservices@pwtag.org	Compliance with PWTAG
			Code of Practice ensures
		www.pwtag.org	that the technical operation
			of a pool meets quality
			standards that provide a
			healthy experience for
			swimmers using recognised
			and established practices,
			techniques, engineering and
			design.
Swim England	Swim England Facilities provide support and	Swim England	Technical operation of
	consultancy for all public facilities relating to the	3 Oakwood Drive	swimming pool and aquatic
	technical operation of swimming pool and aquatic	Loughborough	environments
	environments. This consultation is free of charge and	Leics LE11 3QF	
	can come in the form of oral or written advice and in		
	some cases site visits containing more detailed	Tel: 01509 640000	
	conditioning reports.		
		facilities@swimming.org	

Date issued: 25/02/2020	Document Version: CRUGUID102 app3 v.4	Page: 2 of 4	
If printed, this document is only valid for today 20 March 2020 unless authorised as a controlled			
copy			

Public Health Wales Microbiology Division	Guidance for the investigation of
	Cryptosporidium linked to swimming pools

Public Health England	Public Health England provides expert public health	61 Colindale Avenue	Infectious disease
(PHE)	advice, support and services tailored to local needs.	London	investigation, management
	There is a postcode lookup on the website to find	NW9 5EQ	and advice.
	your local contact.		
	PHE's FW&E laboratories protect the public from	Tel: 0208 200 4400	
	significant health threats associated with food, water	or 0208 200 6868	
	and environmental hazards.		
	Additional support and advice can be provided by the	https://www.gov.uk/guidance/	
	scientists in the Field Service (site visits,	contacts-phe-regions-and-	
	environmental investigations), and the Field	<u>local-centres</u>	
	Epidemiology Service (data management and		
	interpretation, case definitions).		
Cryptosporidium	Advice on the investigation, epidemiology, control	Public Health Wales	All aspects of
Reference Unit	and prevention of <i>Cryptosporidium</i> .	Microbiology,	Cryptosporidium and
	Host site for this Guidance	Singleton Hospital,	cryptosporidiosis
	Reference Laboratory services for the differential	Swansea SA2 8QA	
	diagnosis, confirmation and genotyping of referred		
	isolates and samples.	Tel: 01792 285341	
	·		
	Research and development to support these services	Swansea.Crypto@wales.nhs.uk	
		1111 111 11 1	
		www.publichealthwales.org/cr	
		<u>yptorefunit</u>	
		www.publichealthwales.org/cr	
		<u>yptopoolguidance</u>	

Date issued: 25/02/2020	Document Version: CRUGUID102 app3 v.4	Page: 3 of 4	
If printed, this document is only valid for today 20 March 2020 unless authorised as a controlled			
copy			

Public Health Wales Microbiology Division	Guidance for the investigation of
	Cryptosporidium linked to swimming pools

Independent	Must be suitably qualified and experienced within the	
consultancy practices	swimming pool field. The consultant should be a	
	member of a recognised professional body within the	
	industry e.g. PWTAG, and be professionally qualified	
	in microbiology/biology, chemistry or engineering (as	
	appropriate) with a demonstrated track record in	
	swimming pool investigations.	